









Government of Goa

DIRECTORATE OF SKILL DEVELOPMENT & ENTREPRENEURSHIP SATTARI GOVERNMENT INDUSTRIAL TRAINING INSTITUTE

HONDA SATTARI GOA 403530 Phone no. 0832 2370242

Website: www.itisattari.goa.gov.in

Email: sattari-iti.goa@nic.in

No. SGITI/STR/F-31/2022-23/1768

Dated: 28/06/2022

To

Reputed Supplier

Sir,

Quotations are invited in sealed envelopes as per the specification and quantity mentioned in the attached "ANNEXURE-I".

Sr. No. Description of Items Qty.req.

1. As per Enclosed Ar

Qty.req. | Rate per Unit | Tota

Total Remark

As per Enclosed Annexure-I

The terms and conditions for the supply shall be as under:-

1. The material will have to be supplied/ installed within the period of 20 days from the dates of the supply order at Sattari Govt. Industrial Training Institute, Honda Sattari.

2. CST, Octroi, Sales Tax, GST and any other levy at the time of supply may be shown separately in the quotation; otherwise it will be presumed that the prices offered is inclusive of all taxes whatever may be.

3. The Tender will be evaluated for all items together.

- 4. The rate quoted shall be inclusive of packing and forwarding charges and freight paid for destination at Sattari Govt. ITI Honda, Sattari 403530.
- 5. The make, brand, model, etc. giving details of the items quoted for should be mention in the Tender or else the item shall be liable for rejection.
- 6. The material quoted should be of ISI standard or having ISO 9001/ISO9002 certification as the case may be whatever available.
- 7. The Tender shall be valid for 90 days from the date of the opening of the same.
- 8. The item will be inspected for acceptance in the presence of your representative and will be accepted if it confirms to the specification mentioned in the Λnnexure.
- 9. In case of rejection, for not confirming/matching as per supply order specification, the same will be sole responsibility of the supplier to make arrangement to collect the same at his own cost and risk immediately.
- 10. The transportation, installation and demonstration shall be at the cost of the supplier.
- 11. The tools and equipments supplied as the case may be should carry warranty/ guarantee against defects.
- 12. This office reserves the right accept or reject any or all the tenders /Quotations without assigning any reason thereof.
- 13. This office reserves the right to place order for part/full quantity mentioned in tenders for the purchase of the stores as the case may be.
- 14. In case of any dispute, the decision provided by an Arbitrator appointed by the Government will be final.
- 15. The Quotation should be sent in sealed envelope superscripting "QUOTATION NUMBER & SUBJECT" so as to reach this office at 2:00PM on or before 12/07/2022 which will be opened on the same day at 03:00PM.

Yours Faithfully,

(Nilesh P. Gawas)

Principal

| Sr No. | Name of the Tools and | C | 0. | | | | |
|--|--|--|-----|------------|------------------|-----------------|-----------|
| | Equipment | Specification | Qty | Unit | Rate Per Unit | Total Amount | Make Bran |
| 1. | Measuring Steel Tape | 5 meter, 20 x 5 x 20 Centimeters, Tough abs case incorporating spirit level to check vertical horizontal and right angle. | 42 | Nos | | | |
| 2. | Combination plier insulated | 200 mm | 30 | Nos | | | |
| 3. | Screw Driver Insulated | 4mm X 150 mm | 42 | Nos | | | |
| ·4. | Screw Driver Insulated | 6mm X 150 mm | 42 | Nos | | | |
| 5. | Electrician screwdriver thin stem insulated handle | 4mm X 100 mm | 42 | Nos | | | |
| 6. | Heavy Duty Screwdriver insulated | 5mm X 200 mm | 42 | Nos | | | |
| 7. | Electrician Screwdriver thin stem insulated handle | 4mm X 250 mm | 42 | Nos | | | |
| 8. | Punch Centre | 9mm X 150 mm | 38 | Nos | | | 3 |
| 9. | Knife Double Bladed Electrician | 100 mm | 42 | Nos | | | |
| 10. | Neon Tester | 500 V, 200 mm | 21 | Nos | | | |
| 11. | Steel Rule Graduated both in Metric and English Unit | 300 mm with precision of 1/4th mm | 11 | Nos | | | |
| 12. | Hammer, cross peen with | 250 grams | 42 | Nos | | | |
| 13. | Screw Driver | 100 - 300 mm | 2 | Nos | | | |
| 14. | Blow lamp brass | 0.5 liter capacity, brass body, | 1 | Nos | | | |
| ٠, ٢, | Chisel Cold | | 2 | Nos | | | |
| 16. | Chisel firmer with wooden Handle | 6 mm X 200 mm | 2 | Nos | | | |
| 17. | Scissors blade, SS | 200mm, Stainless Steel | 4 | Nos | | | n |
| 18. | Scissors blade, SS | 150 mm, Stainless Steel | 2 | Nos | | | |
| 19. | Crimping Tool | 1.5 sq mm to 16 sq mm | 2 | Nos | | | |
| | Crimping Tool | 16 sq mm to 95 sq mm | 2 | Nos | | | |
| 21. | Wire Cutter and Stripper Mallet hard wood | 150 mm | 4 | Nos | | | |
| | Hammer Extractor type | 0.50 kg | 4 | Nos | | | |
| | Hacksaw frame | 250 grams Adjustable 300 mm* | 2 | Nos | | | * |
| | Hacksaw frame | Fixed 150 mm | 2 | Nos Nos | | | |
| | Try Square | 150 mm blade | 4 | Nos | | * | |
| 27. | Pliers long nose insulated | 150 mm | 4 | Nos | | | |
| | Pliers flat nose insulated | 150 mm | 4 | Nos | | | |
| 29. | Pliers round nose insulated | 100 mm | 4 | Nos | | | |
| | Tweezers | 150 mm, Stainless Steel | 4 | Nos | | | |
| | Snip Straight | 250 mm | 2 | Nos | | | |
| | Snip Bent heavy duty | 250 mm | 2 | Nos | | | |
| 55. | D.E. metric Spanner Double Ended | 6 - 32 mm | 2 | Set | | | |
| | Drill hand brace | O-100mm | 4 | Nos | | | |
| The state of the s | Plane cutters Smoothing cutters | 50 mm X 200mm | 2 | Nos | | | |
| 37 | Gauge, wire imperial stainlees steel marked in SWG | 50 mm X 200mm Wire Gauge - | 2 | Nos Nos | | | |
| | File flat | Metric, stainless steel 200 mm 2nd cut with PVC handle | 8 | Nos | | | |
| 39. | File half round | 200 mm 2nd cut with PVC handle | 4 | Nos | | | , |
| 40. | File round | 200 mm 2nd cut with PVC handle | 4 | Nos | | | |
| 41. | File flat rough | 150 mm with PVC | 4 | Nos | | | |
| 42. | File flat bastard | handle | 4 | Nos | | | |
| 43. | File flat smooth | 250 mm with PVC handle | 4 | Nos | | | |
| 44. | File Rasp, half round | 200 mm bastard with PVC handle | 4 | Nos | | | |
| 45. | Copper bit soldering iron. | 0.25 kg, | - | | | | |
| | | Heat proof nozzle, PVC type, | 2 | Nos | | | |
| 46. | De soldering Gun | 250mm | 4 | Nos | | | |

| 47. | Hand Vice | 50 mm jaw | 1 | Noo | |
|-------|---|--|-----|-----|-----------------------|
| 48. | Table Vice | 100 mm jaw | 4 | Nos | |
| 49. | Hydrometer | 100 mm jaw | 8 | Nos | |
| 1 | | | 2 | Nos | |
| 50. | Hand Drill Machine | 0-6 mm capacity . | 2 | Nos | |
| 51. | Portable Electric Drill Machine | 0-13 mm | 1 | Nos | |
| 52. | Laboratory Type Induction Coil | 1000 W | 2 | Nos | |
| 53. | Out Side Micrometer | 0 - 25 mm least count 0.01 mm | 2 | Nos | |
| 54. | Thermometer Digital | 0 c - 150 c, Water proof | 1 | Nos | |
| 55. | Rheostat (Sliding Type) | 0 - 25 ohm, 2 Amp | 1 | Nos | |
| 56. | Rheostat (Sliding Type) | O - 300 Ohm, 2 Amp | 1 | Nos | |
| 57. | Rheostat (Sliding Type) | 0 -1 Ohm, 10Λmp | 1 | Nos | |
| 58. | Rheostat (Sliding Type) | 0-10 Ohm, 5 Amp | 1 | Nos | • |
| 60. | Electrician Helmet | Yellow Colour | 2 | Nos | |
| 61. | RCC Pole with accessories (MS angle iron, 'C' clamp, stay insulator etc.) and materials | 6 mtr | 1 | Nos | , |
| 62. | Ohm Meter; Series Type, portable box type | 50/100 ohm analog | 2 | Nos | |
| 63. | Ohm Meter; Shunt Type, portable box type | 50/2000-ohm analog | 2 | Nos | |
| 64. | Digital Multi Meter | DC 200mv - 1000v,0 – 10A & AC 200mv - 750v , 0-10A, resistance 0-20 M Ω and 3 1/2 digit | 12 | Nos | |
| 65. | A.C. Voltmeter | M.I. analog, portable box type housed in Bakelite case Multi range 75 V - 150V - 300V - 600V, (Portable) | . 3 | Nos | O. |
| 66. | Milli Voltmeter | Centre zero analog, portable box type housed in Bakelite case 100 – 0 – 100 mV, (Portable) | 2 | Nos | 2 A <u>2</u> |
| 67. | Ammeter | MC analog- 500 mA, Portable Type | 2 | Nos | |
| 68. | Ammeter | MC analog 0-5 A Portable Type | 2 | Nos | |
| 69. | Ammeter | MC analog 0-25 A Portable Type | 2 | Nos | |
| 70. | AC Ammeter | 0 - 1 Λ, MI analog, portable box type housed in Bakelite case | 2 | Nos | |
| 71. | AC Ammeter | 0-5 A, MI analog, portable box type housed in Bakelite case | 2 | Nos | |
| - 72. | AC Ammeter | 0-25 A, MI analog, portable box type housed in Bakelite case | 2 | Nos | |
| 73. | D t | 0- 1.5 - 3KW, pressure coil rating- 240v/440v, current rating- 5A/10A Analoge, portable type | 2 | Nos | 1 |
| 74. | Digital Wattmeter | 230 V, 1 KW, 50 | 2 | Nos | |
| 75. | A.C. Energy Meter | Single Phase, 10 A, | 2 | Nos | |
| 76. | A.C. Energy Meter | Three Phase, 15 A, | 2 | Nos | |
| 77. | Prower ractor weign ingital | 440 V, 5A, Three Phase | 2 | Nos | |
| 78. | | Phase 45 to 55 Hz | 2 | Nos | |
| 79. | | 0-500 tesla | 2 | | |
| 80. | Lux meter | lux meter LCD read out 0.05 to | 2 | Nos | * |
| 81. | Tachometer | 7000 lumens with battery Digital Photo Sensor Type - | 1 | Nos | |
| 82. | Megger | 10000 RPM Load Capacity:- 500 volts, Material:- Mild Steel Type Of Testing Machines:- Power Dynamometer Display:- Type Analog Range:- 100 Megha OHMS | 1 | Nos | |

(Nilesh P. Gawas)
Principal